

| Section 1194.25 Self-Contained, Closed Products - Detail<br>Voluntary Product Accessibility Template                                                                                                                                                                                                          |                         |                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------|
| Criteria                                                                                                                                                                                                                                                                                                      | Supporting Features     | Remarks and explanations                          |
| (a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.                                                                                    | Not Applicable          |                                                   |
| (b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.                                                                                                                                                                                 | Not Applicable          |                                                   |
| (c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).                                                                                                                                                   | Support with Exceptions |                                                   |
| (k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.                                                                                                                  | Support with Exceptions | The number keys have a raised dash on the "5" key |
| (k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum. | Not Applicable          |                                                   |
| (k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.                                             | Not Applicable          |                                                   |
| (k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.                                                                         | Not Applicable          |                                                   |
| (d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.                                                                           | Not Applicable          |                                                   |
| (e) When products provide auditory output,                                                                                                                                                                                                                                                                    | Not Applicable          |                                                   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------|
| the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.                                                                                                                                                                                                                                                                                        |                         |                                                                                                      |
| (f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.                                                                                                       | Not Applicable          |                                                                                                      |
| (g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.                                                                                                                                                                                                                                                                                                                                                                 | Supports with Exception | An audible “Beep” is heard as an alternative means of indicating an action or conveying information. |
| (h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.                                                                                                                                                                                                                                                                                                                                                      | Supports                |                                                                                                      |
| (i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.                                                                                                                                                                                                                                                                                                                                                                                                 | Supports                |                                                                                                      |
| (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls. | Supports                |                                                                                                      |
| (j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.                                                                                                                                                                                                       | Supports                |                                                                                                      |
| (j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the                                                                                                                                                                                                                                                                       | Supports                |                                                                                                      |

|                                                                                                                                                                                                                                                |          |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--|
| reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.                                                                                                                                                  |          |  |
| (j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane. | Supports |  |

| Section 1194.31 Functional Performance Criteria - Detail<br>Voluntary Product Accessibility Template                                                                                                                                                                                                        |                     |                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------|
| Criteria                                                                                                                                                                                                                                                                                                    | Supporting Features | Remarks and explanations |
| (a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.                                                                                  | Supports            |                          |
| (b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided. | Supports            |                          |
| (c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided                                                                                     | Not Applicable      |                          |
| (d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.                                                                  | Not Applicable      |                          |
| (e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.                                                                                                   | Not Applicable      |                          |
| (f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.                                                                                                       | Not Applicable      |                          |